

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1




FIG. 2

H-101651




FIG. 3




FIG. 4A




FIG. 4B




FIG. 4C



FIG. 4D




FIG. 4E



FIG. 4F




FIG. 4G




FIG. 5A



FIG. 5B




FIG. 5C



FIG. 6A




FIG. 6B



FIG. 6C



FIG. 6D




FIG. 6E




FIG. 7A





FIG. 7B




	■ Compound D+ 0 μM 5-FU	▲ Compound D+ 0.5 μM 5-FU	▼ Compound D+ 1 μM 5-FU	◆ Compound D+ 2 μM 5-FU
IC ₅₀	0.87 +/- 0.11	0.79 +/- 0.11	0.32 +/- 0.09	0.12 +/- 0.08

FIG. 8

Nude mouse model: SW620 – Compound C (i.p., 300/200 mg/kg)

SW620 Xenograft: Compound C – B.W.



SW620: Compound C – i.p.




FIG. 9A

FIG. 9B

Wnt1 stimulation on Survivin reporter gene in 3T3 cells




FIG. 10




FIG. 11





FIG. 12



18-hour Treatment with 25 uM Compound D

FIG. 13




FIG. 14A




FIG. 14B



FIG. 14C




FIG. 15




FIG. 16




FIG. 17